

CONTENTS

DECORATIVE PANEL · WALL PANEL 01

DECORATIVE LINE BOARD 22

MATCHING COLOR · WPC WOOD-PLASTIC DOOR 36

METAL · FOLD LINE 44

ARTISTIC BACKGROUND 53

DECORATIVE PANEL · WALL PANEL >




BAMBOO CRYSTAL BUMPER



STRUCTURAL ANALYSIS

- 01
Protective film | Protection against wear during transport and installation
- 02
Dirt-resistant layer | Water-based decorative surface; Stain-resistant surface layer.
- 03
Decorative layer | Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
- 04
Impact layer | High-strength anti-impact layer 1mm
- 05
Bamboo charcoal layer | Bamboo fiber base layer 5mm 8mm 12mm

Decorative panel




Width: 1220mm

length: 2440/2600/2800/3000/6000mm
(Large quantity can be customized in length)

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantage: waterproof; folding bending shaping; crashproof; flame retardant




CARBON CRYSTAL BOARD


Decorative panel/wall panel



STRUCTURAL ANALYSIS


01	Protective film	Protection against wear during transport and installation
02	Dirt-resistant layer	Water-based decorative surface; Stain-resistant surface layer.
03	Decorative layer	Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
04	Coextrusion layer	High-intensity crystal co-extrusion layer 1mm
05	Carbon fiber layer	Carbon fiber base layer 5mm 8mm 12mm



Width: 1220mm	
length: 2440/2600/2800/3000/6000mm (Large quantity can be customized in length)	
Environmental protection grade: ENF	Environmental protection grade: B1
Performance advantage: waterproof; folding bending shaping; crashproof; flame retardant	
5/8/12 [ 1220	

SPC HONEYCOMB BOARD

Decorative panel/wall panel



STRUCTURAL ANALYSIS

01	Protective film	Protection against wear during transport and installation
02	Dirt-resistant layer	Water-based decorative surface; Stain-resistant surface layer.
03	Decorative layer	Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
04	Nanometer layer	Ultrahard polymer nanofilm
05	Aluminum core layer	Aircraft aluminum honeycomb core layer 8mm 12mm

Width: 1220mm

length: 2440/2600/2800/3000/6000mm
(Large quantity can be customized in length)

Environmental protection grade: E1

Environmental protection grade: B1

Performance advantage: waterproof; folding bending shaping; crashproof; flame retardant



BAMBOO AND WOOD FIBERBOARD



STRUCTURAL ANALYSIS

- | | |
|--------------------------------|--|
| 01 Protective film | Protection against wear during transport and installation |
| 02 Dirt-resistant layer | Water-based decorative surface; Stain-resistant surface layer. |
| 03 Impact layer | High-strength anti-impact layer 1mm |
| 04 bamboo and wood | Bamboo and wood fiber layer |

V joint plate / P joint plate / seamless plate



400/600 V-seam plate	
Width; thickness: 400/600mm*9mm	
length: 2400/2600/2800/3000/3200/3600mm (Large quantity can be customized in length)	
Environmental protection grade: ENF	Fire protection level: B1
Performance advantage: Waterproof	
	



600 P seam plate	
Width; thickness: 600mm*9mm	
length: 2400/2600/2800/3000/3200/3600mm (Large quantity can be customized in length)	
Environmental protection grade: ENF	Fire protection level: B1
Performance advantage: Waterproof	
	



400/600 Seamless plate	
Width; thickness: 400/600mm*9mm	
length: 2400/2600/2800/3000/3200/3600mm (Large quantity can be customized in length)	
Environmental protection grade: ENF	Fire protection level: B1
Performance advantage: Waterproof	
	

LCEFIRE BOARD MEDICAL ANTIBACTERIAL BOARD

Decorative panel



STRUCTURAL ANALYSIS

01 Protective film | Protection against wear during transport and installation

02 Dirt-resistant layer | Water-based decorative surface; Stain-resistant surface layer.

03 Decorative layer | Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)

04 Cement layer | Silica-magnesia cement

Width: 1220mm

length: 2440/3050mm

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantage: Waterproof



STONE SLAB

Decorative panel



STRUCTURAL ANALYSIS

01 Protective film | Protection against wear during transport and installation

02 Dirt-resistant layer | Water-based decorative surface; Stain-resistant surface layer.

03 Decorative layer | Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)

04 Crystalline layer | Natural stone powder high molecular weight crystalline material


Width: 600mm

length: 2440/2600/2800/3000mm

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantages: Waterproof, scratch resistant;



Metal Composite Plate

Decorative panel



STRUCTURAL ANALYSIS

01	Protective film	Protection against wear during transport and installation
02	Dirt-resistant layer	Water-based decorative surface; Stain-resistant surface layer.
03	Decorative layer	Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
04	Aluminum layer	High-strength aluminum layer 1mm
05	Crystalline layer	Natural stone powder high molecular weight crystalline material


Width: 1220mm

length: 2440/2800/3030mm

Environmental protection grade: ENF

Environmental protection grade: B1

Performance advantages: Waterproof, scratch resistant;




MAGNESIUM OXIDE BOARD

Decorative panel



STRUCTURAL ANALYSIS

01	Protective film	Protection against wear during transport and installation
02	Dirt-resistant layer	Water-based decorative surface; Stain-resistant surface layer.
03	Decorative layer	Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
04	Diamond layer	Improve impact resistance
05	Rock layer	Increase the overall structure of the plate to prevent cracking

Width: 1220mm	
length: 2440/2600/2800/3000/6000mm (Large quantity can be customized in length)	
Environmental protection grade: E1	Environmental protection grade: A1
Performance advantage: Waterproof	
6/8 []	
1220	

MULTIPLE LAYER SOLID WOOD BOARD

Decorative panel



STRUCTURAL ANALYSIS

01	Protective film	Protection against wear during transport and installation
02	Dirt-resistant layer	Water-based decorative surface; Stain-resistant surface layer.
03	Decorative layer	Moisture-proof, eco-friendly, high-definition decorative film middle layer (over a hundred patterns to choose from)
04	Solid wood layer	Core is 9-11 solid wood board splicing;
05	Core layer	Dense and solid to provide more table support.

Width: 1220mm

length: 2440mm

Environmental protection grade: E1

Environmental protection grade: B1

Performance advantage: Waterproof



BAMBOO CRYSTAL BUMPER



CASE REFERENCE COLOR >



B8021M Bolted wood 1



B5015M Techwood 32



B5016M Techwood 33

Warm gray wood grain;

Excellent texture, delicate texture, the color is simple and generous, and the design is exquisite and beautiful. The integration of the two, endowing the home with a "forest" breath.



B5025M Taiyou



B5028M Solid walnut



B5027M Swedish birch

CARBON CRYSTAL BOARD



CASE REFERENCE COLOR >



B3036M Techwood 27



B5019M Nordic Osmanthus



B5026M North American oak

Black wood grain series

Cold and handsome, yet versatile, it embodies the mystery and charm of fashion. The annual rings pattern, quietly interpreting the cycle of time, let board show a unique touch and look.



B5034M Swedish cherry wood



B5035M Scandinavian cherry wood



B5031M Classic walnut

SPC HONEYCOMB BOARD

- ENF

Environmental protection ENF grade
- B1

Flame retardant B1 grade
- 

waterproof and moistureproof
- 

Bending forming



CASE REFERENCE COLOR >



B5031M Techwood 21



B5043M Techwood 24



B5013M Ash wood

GRAY WOOD GRAIN SERIES

Like a low-key and profound poem written by nature, it stands out among many decorative materials. Its texture features are the masterpiece of the integration of nature and art, each pattern telling a unique story.



B5032M Beech 1



B5020M Classic walnut wood



B5036M Straight-grained cherry wood

BAMBOO AND WOOD FIBERBOARD



CASE REFERENCE COLOR >



A487FG light gray



A488FG Dark gray



A486FG Lunar eclipse ashes

SOLID COLOR - SKIN-TOUCH MORANDI COLOR SYSTEM;

Create high-end business space texture with a sense of style. In the fierce collision of different materials, Sparks of innovation are scattered, looking far away. Looking close up is also full of details.



A490FG Deep khaki



A489FG Light khaki



A509FG Ice blue

LCEFIRE BOARDMEDICAL ANTIBACTERIAL BOARD



CASE REFERENCE COLOR >



B6013M Techwood 30



B5003M Smoked wood



B5009M Relief wood grain 1

ORANGE YELLOW WOOD GRAIN

Based on an orange-yellow hue, either light or dark, it presents a warm, bright visual effect, such as the heartwood of canarywood lies from light orange-yellow to deep reddish-brown.



B8015M Poplar wood



B5014M North American white ash



B5005M water birch

STONE SLAB

- ENF**
Environmental protection ENF grade
- B1**
Flame retardant B1 grade
- 
waterproof and moistureproof
- 
Bending forming



CASE REFERENCE COLOR >



B3012D Ocean wave gray



B3010D Cloudy gray



B3009D Deep Coffee Network

GRAY MARBLE PATTERN

From light gray to dark gray, including silver gray, rice gray and other different gray scales, can meet a variety of decoration needs, can create a quiet, elegant mysterious and other different atmosphere.



B3011D Yalun Jin



B3008D Black net pattern



B3006D Respectful Ash Ochre;

METAL COMPOSITE PLATE

- ENF
Environmental protection ENF grade
- B1
Flame retardant B1 grade
- waterproof and moistureproof
- Bending forming



CASE REFERENCE COLOR >



A901JS



A902JS



A903JS

FUTURISTIC METAL TEXTURE

Usually presented in regular or irregular lines, such as straight line brushed metal texture has obvious straight lines, giving a simple and neat feeling; while the chaotic line is irregular lines, creating a free and casual visual effect.



A904JS



A905JS



A907JS

MAGNESIUM OXIDE BOARD



CASE REFERENCE COLOR >



B3032M Techwood 22



B6014M Techwood 31



B8017M Swiss wood grain

HIGH-END VERSATILE WOOD GRAIN

Presenting the natural form of wood growth in nature, such as white oak occasionally with wavy or mountain-shaped grain, simulating the natural texture of tree growth, a natural atmosphere to the space.



B5010M Relief wood grain 2



B8016M Boxwood



B5021M Light walnut wood

MULTIPLE LAYER SOLID WOOD BOARD



CASE REFERENCE COLOR >



B5031M Techwood 21



B5001M Russian fir;



B3043M Techwood 24

DARK WOOD GRAIN STYLE

On a dark base, there are some changes in depth and shade, forming a natural light and shadow effect, making the texture more three-dimensional. For example Italian black wood grain, the black grain is mixed with light gray tones, which enriches the visual expression of the texture.



B5032M Beech 1



B8030M Nordic walnut



B5015M Techwood 32

DECORATIVE LINE BOARD >



DECORATIVE LINE BOARD PRODUCT CATALOG



WALL SKIRT BOARD

Width; length; thickness: 186.53*3000*8.5mm

Environmental protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping




GRATING PLATE

Width; length; thickness: 164*3000*22mm

Environmental protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping




DISC; SMALL ROUND PLATE

Width; length; thickness: 145.1*3000*8.5mm

Environmental protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



PEAK BOARD

Width; length; thickness: 153.59*3000*14mm

Environmental protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



VOLCANIC PLATE

Width; length; thickness: 154*3000*15mm

Environmental protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



NINE-RING PLATE

Width; length; thickness: 205*3000*14mm

Environmental protection grade: EO

Fire protection level: /

Performance advantage: Waterproof & bending shaping



DECORATIVE LINE BOARD PRODUCT CATALOG




BRIDGE SLAB

Width; length; thickness: 179.31*3000*8mm

Environmental protection grade: E0 Fire protection level: /

Performance advantage: Waterproof & bending shaping




TRIANGLE BOARD

Width; length; thickness: 157.31*3000*14mm

Environmental protection grade: E0 Fire protection level: /

Performance advantage: Waterproof & bending shaping





TUNNEL SLAB

Width; length; thickness: 172*3000*8mm

Environmental protection grade: E0 Fire protection level: /

Performance advantage: Waterproof & bending shaping





BIG WAVES

Width; length; thickness: 186.09*3000*13mm

Environmental protection grade: E0 Fire protection level: /

Performance advantage: Waterproof & bending shaping





PARTITION

Width; length; thickness: 176*3000*10mm

Environmental protection grade: E0 Fire protection level: /

Performance advantage: Waterproof & bending shaping





LITTLE GREAT WALL;

Width; length; thickness: 140*3000*7.8mm

Environmental protection grade: E0 Fire protection level: /

Performance advantage: Waterproof & bending shaping



DECORATIVE LINE BOARD PRODUCT CATALOG



BILIRUBIN;

Width; length; thickness: 158*3000*15mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




SURFBOARD

Width; length; thickness: 159*3000*14mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




THREE-SLOT PLATE

Width; length; thickness: 162*3000*18mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



FINE GRILLE

Width; length; thickness: 164*3000*13.5mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping





CIRCULAR GROUP PLATE

Width; length; thickness: 200*3000*18mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




LARGE DISK

Width; length; thickness: 209*3000*20mm


Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



DECORATIVE LINE BOARD PRODUCT CATALOG




INNER ARC PLATE

Width; length; thickness: 173*3000*12mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




SQUARE GROUP PLATE

Width; length; thickness: 205*3000*12mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




70 BASEBOARD;

Width; length; thickness: 70*3000*13mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




70 BASEBOARD;

Width; length; thickness: 70*3000*15mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




60 BASEBOARD;

Width; length; thickness: 60*3000*11mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



75 BASEBOARD;

Width; length; thickness: 75*3000*12.7mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



DECORATIVE LINE BOARD PRODUCT CATALOG



SEAM ALLOWANCE

Width; length; thickness: 35*3000*11mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




OUTER CORNER BEAD

Width; length; thickness: 25*3000*25mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



WALL ANGLE TRIM;

Width; length; thickness: 35*3000*11mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



DECORATIVE LINE BOARD PRODUCT CATALOG

ENF

Environmental protection ENF grade

B1


Flame retardant B1 grade



Waterproof and moistureproof



Bending forming



ROTATING GRILLE STYLE A;

Width; length; thickness: 54.7*3000*25mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping



ROTATING GRILLE B-STYLE

Width; length; thickness: 51.7*3000*29mm

Environmental protection grade: E0

Fire protection level: /

Performance advantage: Waterproof & bending shaping




CASE DISPLAY

grating plate




Decorative line board installation elevation drawing




CASE DISPLAY

Large disk



Decorative line board installation elevation drawing




CASE DISPLAY

Peak board



Decorative line board installation elevation drawing




CASE DISPLAY

Bilirubin;



Decorative line board installation elevation drawing




CASE DISPLAY

Nine-ring plate



Decorative line board installation elevation drawing




CASE DISPLAY

Fine grille



Decorative line board installation elevation drawing




CASE DISPLAY

PARTITION



Decorative line board installation elevation drawing



MATCHING COLOR · WPC WOOD-PLASTIC DOOR >



DOOR >

Matching color · WPC wood-plastic door 40 thick




Material structure diagram





WPC wood-plastic door 40 thick - door type chart




Size specifications (MM)		Thickness (MM)	Material;
Maximum door opening Width 1180* Height 3043		Door leaf: 40; Jamb: 35;	Multi-layer; solid wood composite
Environmental protection grade	Fire protection level	Production process	Performance advantage
E1	/	PUR edge sealing for door panel PUR flat bonding/covering	Multiple sets of lines available;





SECTIONAL DRAWING



SECTIONAL DRAWING



SECTIONAL DRAWING



Optional hardware combination;



DOOR >

Matching color · WPC wood-plastic door 40 thick




Material structure diagram





WPC wood-plastic door 45 thick - door type chart




Size specifications (MM)		Thickness (MM)	Material;
Maximum door opening Width 1180* Height 3043		Door leaf: 45; Jamb: 40;	Multi-layer; solid wood composite
Environmental protection grade	Fire protection level	Production process	Performance advantage
E1	/	PUR edge sealing for door panel PUR flat bonding/covering	Multiple sets of lines available;





SECTIONAL DRAWING



SECTIONAL DRAWING



SECTIONAL DRAWING



Optional hardware combination;




Matching color · WPC wood-plastic door renderings display >





ARBITRARY MATCHING SERIES PRODUCT SCHEMATIC DIAGRAM




Double reentrant corner



Outer corner




letter slot



Crabapple sun corner




I-beam




Large disk




partition



grating plate




Three-slot plate



Acute angle

PRODUCT DIAGRAM OF THE CLOSING LINE



SPACE APPLICATION LIVING ROOM



Bamboo crystal bumper
B5008M Florentine Yellow Walnut

Bamboo crystal bumper
A486FG Lunar eclipse ash

Bamboo crystal bumper
A485FG pure black

grating plate
A486FG Lunar eclipse ash

Application product display




Bamboo crystal bumper




letter slot




side collection



I-beam




grating plate



12MM Bamboo Acrylic Wall Panel; Four Sides Edge Sealing; Grooving



Soil character string splicing



INSTALLATION SIZE

4700mm									
700	220	600	1110	580	200	580	60	560	
3450mm									
725									

SPACE APPLICATION LIVING ROOM




Artistic background
LW008 Summer Elf

Bamboo crystal bumper
B5021M Light Walnut

grating plate
B5021M Light Walnut

Application product display



Acute angle




Artistic background



I-beam



I-beam



grating plate




letter slot




SPC same color coating



INSTALLATION SIZE



SPACE APPLICATION LIVING ROOM



Artistic background
B3004D Clouds Pulling Grey

Bamboo crystal bumper
B3036M wood grain series

grating plate
B3036M wood grain series

Application product display



Soil character slot splicing




Artistic background




letter slot



I-beam




grating plate



side collection



INSTALLATION SIZE



ARTISTIC BACKGROUND >

Modern interpretation of oriental charm~

Chinese aesthetics, advocating minimalism, mostly emphasizes "overflowing when full", leaving room for three parts in everything, and therefore advocates a lot of space in aesthetics, spacious but not empty, full but not overflowing, with a sense of appropriate measure.

Modern minimalist Chinese style, with a modern and concise design language, creates a home art that is more in line with the aesthetics of the current young people, making home beautiful to a new height.



PART1 INSPIRATION SOURCE

Set name "Elegant Oriental Charm"

Style philosophy

Combining traditional Chinese elements with modern minimalist design concepts, through simple lines and elegant colors, creating a space atmosphere that is both oriental and modern

Interpretation of the system


The "Oriental Elegance" series draws inspiration from classical culture, incorporating modern living concepts to create a warm and culturally rich living environment. This series not only focuses on aesthetic appearance but also emphasizes functional practicality, allowing each piece of furniture to perfectly integrate into your daily life.

Design inspiration

Inspired by the symmetrical beauty of traditional Chinese gardens and the philosophy of harmonious coexistence with nature, combined with the modern urban people's pursuit of a simple yet quality lifestyle, a brand new Chinese-style home aesthetics is created. The beauty of simple Chinese style lies in its charm and elegance. It integrates the essence of Chinese culture into life, and combines modern design with bold creation, making the space simple, clear, simple and restrained, presenting a strong oriental sentiment.



PART2 COLOR INTERPRETATION




A486FG / Lunar eclipse ashes



B5026M / North American oak



LW001 / Pandora



LW021 / Lacquered black

This case is a minimalist Chinese-style design, featuring the classic Chinese color combination of brown and beige, complemented by touches of gold or silver, creating elegant and tranquil space. Beige represents purity and elegance, while brown symbolizes stability and maturity, complementing each other to showcase a unique oriental charm

A touch of elegant color, a few strokes of refined lines, collided perfectly. Although simple but not simple, let the design bring a faint artistic conception beauty. It is more in line with the aesthetics and needs of modern people.

PART4 PRODUCT POWER INTERPRETATION

"Elegant Oriental" series

With its exquisite craftsmanship, excellent material selection and perfect color matching, it demonstrates Baixiang's outstanding strength in the field of high-end customization. It is the living room, bedroom or study, it can provide you with a comprehensive high-quality life experience.



Craft highlights

01-1

Arc:
Lofting process;

Curved arc made by the grooving process, paired with the grille, smooth lines, graceful shape.



PART5 SPATIAL VISUAL REPRESENTATION

01 Living room

The living room, as the center of family activities, adopts an open design in the "Elegance of the East" series, spacious and bright; pping into the living room is like stepping into a vivid ink painting, every detail exudes the beauty of the East. The TV background wall and the sideboard are ingen combined, both practical and beautiful.



01-2

**Soft forming semi-cut handle:
Ox horn milling type handle**

Innovative bull-nose milling type handle design, not only beautiful and generous, but also convenient to use.



01-3

Puzzle frame cabinet door

Modern aesthetics art design.



PART5 SPATIAL VISUAL REPRESENTATION

01 Living room

Each space focuses on the perfect combination of details and functionality. From the fabric sofa and coffee table in the living room to the exquisite dining table and chairs and floral in the restaurant, the wooden furniture enhances the overall texture, showing a pursuit of taste and quality.



Craft highlights

01-4

**Folded corner
embedded art background**

Unique folding angle
technology with exquisite
artistic background adds
artistic atmosphere.





01-5

Bend molding color matching;

Bent plastic shaping that coordinates with the overall stylefully demonstrates the unique craftsmanship.



PART5 SPATIAL VISUAL REPRESENTATION

02 bedroom

As night falls, the warm light of the bedroom turns it into a harbor for the soul. The bedroom space focuses on privacy and comfort, using environmentally friendly materials paying attention to ergonomic design, to provide users with a quiet and comfortable resting environment.



Craft highlights

02-1

Window sill wallboard color matching set

Reduce the sense of abruptness of the window sill, Blend into the wall, Make the indoor space look more natural and harmonious



02-2

Cabinet body irregular edge sealing

Cabinet body with irregular edge, one-time molding, the groove is smooth and seamless with strong integrity and more beautiful



02-3

Full-height door (top bottom)

Not only does it maximize the storage space, but it also "eliminates" the top health dead corner, making it clean and spacious.



PART5 SPATIAL VISUAL REPRESENTATION

03 Study

In the tranquil study, the fragrance of books lingers, immersing oneself in the ocean of knowledge. The study design focuses on the balance of functionality and, with a reasonable layout of bookshelves and workstations, facilitating reading and work.



Craft highlights

03-1

ABA layer plate

Made of high-quality solid wood plywood, with a surface film treatment, durable and easy to clean.



03-2

Structureless color-matched handle;

The no-pull handle design, which is consistent with the overall furniture color, enhances visual unity.



PART5 SPATIAL VISUAL REPRESENTATION

04 Kitchen

The kitchen is not only a place where delicious food is born, but also a small world for emotional communication among family members. The kitchen is designed with an and reasonable traffic pattern, making the cooking process more smooth and convenient, while maintaining cleanliness.



Craft highlights

04-1

waterproofing process

Single-sided pressure-adhered aluminum foil, Moisture and humidity are not easy to penetrate, Prevent deformation and mildew, Extend service life of the cabinet.



04-2

Wall cabinet without handle;

No need for complex milling processing or adding aluminum alloy accessories, to make the space look more open and unified



04-3

Metal open rack glowing backplate

Acrylic light-transmitting board, applied to open grid, let the kitchen space overflow with a distinctive artistic atmosphere.

